


Fishing Floats



MYUNG KWANG CHEMICAL IND.CO.,LTD.
ISO 9001 CERTIFICATE NO. KQS-5033

HEAD OFFICE & FACTORY

370-82, Shinpyung-Dong, Saha-Gu,
Busan, Korea.

Tel : (82) 51 206 7284

Fax : (82) 51 206 9048 & 203 3803

www.mkchem.com


service@mkchem.com

E.V.A. Floats

PURSE SEINE & GILL NET FLOATS


CHARACTERISTICS

1. E.V.A. Floats are manufactured from Ethylene Vinyl Acetate(E.V.A) which is superior to other materials such as P.V.C. & Synthetic Rubber Floats in every respect.
2. E.V.A. Floats are resistant extreme weather conditions. They have excellent elasticity. Since E.V.A. Floats do not break, shrink, or deform it is excellent for Fishing Nets.
3. E.V.A. Floats are light and soft and do not absorb water. This results in more efficient and economical handling.
4. E.V.A. Floats have very high tensile strength which allows continuous continued use over long Periods of time.



Article-Number	Specification(±)5%			Contents in 20FT Container	Colour
	L×GD×HD(mm)	WT(g)	Buoyancy(g)		
SHE-105	320×295×70	2,150	15,000		Yellow
SHE-100	285×260×50	1,514	10,000	1,344 pcs	Yellow
SHE-85	265×248×48	1,314	8,500	1,632 pcs	Yellow
SHE-70	250×220×42	1,000	6,500	2,340 pcs	Yellow
SHE-60	240×215×42	874	6,000	2,650 pcs	Yellow
SHE-50	225×202×40	786	5,000	3,000 pcs	Yellow
SHE-40	208×185×37	585	3,800	3,936 pcs	Yellow
SHE-30	190×158×33	447	2,980	5,760 pcs	Yellow
SHE-25	180×147×31	350	2,400	7,200 pcs	Yellow
SHE-20	178×135×28	265	1,750	8,160 pcs	Yellow
SHE-15	160×125×28	235	1,500	10,800 pcs	Yellow
SHE-10	170×110×20	180	950	13,600 pcs	Yellow/white
SHE-6	146×94×20	93	616	22,400 pcs	Yellow/white
SHE-3	101×78×20	46	300	44,800 pcs	Yellow/white
SS-5	155×110×25	170	1,100	13,800 pcs	Yellow/white
SS-3	130×110×25	140	920	15,500 pcs	Yellow/white

E.V.A. Life Buoy



Type	Out dia	Inner dia	Width	Weight
SHB-440	17.3" / 440mm	8.6" / 220mm	3" / 78mm	1,050g
SHB-610	24" / 610mm	14" / 355mm	4" / 105mm	2,150g
SHB-730	28.7" / 730mm	16.5" / 420mm	3.5" / 90mm	2,700g

E.V.A. Life Buoys are manufactured by Ethylene Vinyl Acetate which is superior to other materials such as plastic & styrene for human-being.


E.V.A. Life Buoys are made based on solas 74/83 requirements.

It's easy to find at night as affixed retro-reflective tape.

E.V.A. Life Buoys are resistant against extreme weather conditions and won't be damaged & broken for long time exposed to sun.


E.V.A. Life Buoys are very soft and won't be harmful to human when they are thrown to the sea.

Approved by Korean maritime affairs and fisheries.




Rubber Floats

Oval Type




Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement(G.B.M)	
PY-3.5	70 × 35 × 10	18	26	D.S	1000	0.086	Yellow
Y-9	96 × 48 × 10	33	85	D.S	500	0.11	Brown
Y-10	90 × 53 × 12	40	115	M.D.S	400	0.12	Brown
Y-17	106 × 65 × 12	62	195	D.S	250	0.11	Brown
Y-50	150 × 90 × 20	122	460	M.D.S	100	0.11	Brown
Y-60	150 × 110 × 22	160	870	D.S	80	0.14	Brown
Y-80	174 × 110 × 22	180	950	D.S	80	0.15	Brown




Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement(G.B.M)	
C-2	102 × 20 × 6	10	20	D.S	2000	0.12	Brown
C-3.5	132 × 25 × 6	21	32	D.S	1000	0.11	Brown
Y-5	100 × 36 × 10	23	50	D.S	800	0.10	Brown
Y-8	139 × 39 × 10	35	80	M.D.S	500	0.12	Brown
C-20	220 × 52 × 12	78	220	S.S	200	0.10	Brown

Cylinder Type I




Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement (C.B.M)	
Y-100	40 × 85 × 12	68	160	D.S	300	0.12	Brown
Y-103	47 × 100 × 16	70	280	S.S	200	0.13	Brown
Y-105	76 × 96 × 25	120	480	S.S	150	0.14	Brown
Y-110	65 × 63 × 12	40	146	D.S	300	0.10	Brown
Y-114	40 × 76 × 12	40	145	D.S	300	0.10	Brown

Cylinder Type II




Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement (C.B.M)	
Y-2.5	51 × 33 × 8	13	25	D.S	1500	0.12	Brown
Y-3	60 × 35 × 9	15	32	D.S	1500	0.12	Brown
PY-3	60 × 35 × 9	16	30	D.S	1500	0.12	Yellow/Green
Y-3.5	65 × 38 × 9	22	42	D.S	1000	0.12	Brown
Y-4	77 × 38 × 9	25	44	D.S	800	0.10	Brown
Y-20	122 × 56 × 16	75	180	M.D.S	250	0.11	Brown
Y-30	110 × 70 × 20	68	265	M.D.S	200	0.11	Brown



E.V.A. Fender of Assembly Type

Article Number	Specification(±)5%		
	Length	With	Assembly Quantity
SAF-25(A)	109cm	28.5cm	SHE-25 4 ×6
SAF-25(B)	80cm	28.5cm	SHE-25 4 ×5
SAF-30	96cm	31cm	SHE-30 4 ×5
SAF-40	100cm	34.5cm	SHE-40 4 ×5
SAF-50	113cm	40cm	SHE-50 4 ×5
SAF-70	95cm	44cm	SHE-70 4 ×4
SAF-85	101cm	46.5cm	SHE-85 4 ×4


According to customers' request for length and out diameter of assembly fender, we can adjust them flexibly.



Rubber Floats


SYNTHETIC RUBBER FISHING FLOATS

Cylinder Type III




Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT (g) ± 10	Buoyancy (g) ± 10		Pcs/Box	Measurement (C.B.M)	
Y-2	90 × 22 × 8	13	21	D.S	1500	0.11	Brown
MC-303	100 × 17 × 7	12	9	S.D.S	1500	0.08	Brown
MC-304	75 × 17 × 7	9	6	S.D.S	2000	0.08	Brown
MC-354	80 × 21 × 7	13	13	S.D.S	1500	0.11	Brown
MC-355	70 × 21 × 7	12	11	S.D.S	1500	0.08	Brown

Flat Type



Article Number	Specification			Use	Packing		Colour
	L × OD × HD (mm)	WT (g) ± 10	Buoyancy (g) ± 10		Pcs/Box	Measurement (C.B.M)	
SH-1	33 × 34 × 7	6	20	D.S	1500	0.12	Brown
SH-10	37 × 65 × 10	11	75	S.S	1000	0.14	Brown
SH-15	40 × 75 × 15	16	110	S.S	800	0.16	Brown
SH-20	50 × 89 × 20	22	185	S.S	400	0.14	Brown
S-109	66 × 43 × 37	24	54	M.D.S	1000	0.13	Brown
N-71	270 × 89 × 61		950	M.D.S		0.14	Brown

E.V.A. Fender



Article Number	Specification(±)5%			
	Length	Overall Diameter	hole Diameter	Rope Diameter
SHF-100	16.53" / 420mm	3.74" / 95mm	1.65" / 42mm	0.63" / 16mm
SHF-200	21.56" / 540mm	4.92" / 125mm	1.97" / 50mm	0.75" / 19mm
SHF-300	25.98" / 660mm	6.50" / 165mm	2.76" / 70mm	0.94" / 24mm
SHF-400	28.35" / 720mm	9.84" / 250mm	4.72" / 120mm	1.18" / 30mm
SHF-500	21.65" / 550mm	11.80" / 310mm	3.35" / 85mm	3.35" / 48mm

Type	Out dia	Inner dia	Width	Weight
SHRF-100	17.3" / 440mm	7.8" / 198mm	2.6" / 66mm	1,500g
SHRF-200	20" / 510mm	10.2" / 260mm	5.1" / 130mm	2,140g
SHRF-300	25.5" / 650mm	15.3" / 390mm	6.5" / 165mm	3,900g

Manufactured from Ethylene Vinyl Acetate (E.V.A.) which is different from materials used conventionally such as PVC, Rubber, Air Tube, and used Tire.

E.V.A. Fenders have excellent resistance against breakage, wearing-out, and against extreme weather changes from tropical areas to frozen zones.

It has excellent elasticity and therefore maintains its shape.

E.V.A. Fenders are soft, so they won't harm nor damage the side of the boat.




E.V.A. Fenders are light in weight, so they will not affect the speed of the boat.

E.V.A. Fenders are very strong and durable.

E.V.A. Fenders will not shrink or break in actual use.

E.V.A. Fender are reinforced with grommet.

E.V.A. Floats




Article Number	Specification (±) 5%			Contents in 20FT Container	Colour
	L × OD × HD (mm)	WT (g)	Buoyancy (g)		
SHBB-2	356 × 178 × 25	900	5,700	-	Yellow/White
SHBB-1	356 × 153 × 25	600	5,000	-	Yellow/White
S-20	155 × 155 × 80	300	1,600	7,200 pcs	Yellow/Red
SHY-120	105 × 145 × 28	223	1,500	-	Yellow/White
N-35	243 × 63 × 42	103	380	-	Yellow/Brown
N-22	195 × 62 × 39	56	270	-	Yellow/Brown
N-5	195 × 45 × 34	45	180	-	Yellow/Brown
SH-25E	50 × 105 × 18	48	310	44,100 pcs	Yellow/White/Brown
SH-20E	48 × 90 × 18	33	200	60,000 pcs	Yellow/White/Brown
SH-15E	45 × 80 × 16	25	150	85,000 pcs	Yellow/White/Brown
SH-10E	40 × 70 × 12	20	130	120,000 pcs	Yellow/White/Brown
SE-5	98 × 63 × 10	30	230	-	Yellow
YE-20	150 × 62 × 20	50	400	-	Black
PE-20	140 × 62 × 20	59	350	-	Brown
SEW-20	100 × 65 × 16	78	158	-	Dark Green
SHY-17	106 × 65 × 13	65	200	354,000 pcs	Brown
SEW-17	94 × 63 × 16	70	135	354,000 pcs	Dark Green
YE-3	60 × 35 × 9	12	55	354,000 pcs	Yellow/White/Brown
PY-8	139 × 37 × 10	33	80	-	Yellow/White/Brown



MYUNG KWANG CHEMICAL IND.CO.,LTD.
ISO 9001 CERTIFICATE NO. QQS-5033

HEAD OFFICE & FACTORY
370-82, Shinpyung-Dong, Saha-Gu,
Busan, Korea.
Tel : (82) 51 206 7284
Fax : (82) 51 206 9048 & 203 3803
www.mkchem.com
service@mkchem.com

Stick Type



Article Number	Specification			Use	Packing		Colour
	L×OD×HD(mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement(C.M)	
LP-100	450×21×7	56	99	D.S	500	0.10	Brown
LP-50	450×17×6	42	50	D.S	600	0.09	Brown
C-8	350×20×6	45	60	D.S	500	0.08	Brown
S-200	250×22×6	30	50	M.D.S	800	0.09	Brown
Z-1	121×22×19	16	40	D.S	1200	0.07	Brown

Deep Sea Floats



Article Number	Specification			Use(M)	Packing		Colour
	L×OD×HD(mm)	WT(g) ±10	Buoyancy(g) ±10		Pcs/Box	Measurement(C.M)	
YS-2	90×22×8	15	20	250	1000	0.07	Green
YS-3	60×35×9	21	25	250	1000	0.08	Green
YS-3.5	65×38×9	61	33	250	600	0.07	Green
YS-4	77×38×9	32	37	250	600	0.07	Green
YS-5	100×36×10	33	40	250	500	0.09	Green
YS-10	90×53×12	58	98	250	300	0.12	Green
YS-20	122×56×16	84	160	250	200	0.09	Green
YSS-5	100×36×10	45	30	1000	500	0.09	Green
YSF-50	145×44×12	120	90	400	200	0.09	Green
N-50	145×44×12	90	100	250	200	0.09	Green
N-80	165×52×16	100	160	250	200	0.08	Green
NS-80	165×52×16	132	100	400	150	0.07	Green